

# Copper Mountain Mining Corporation

## 2007 Drill and Assay Results

Updated August 14, 2007

### PIT 2 AREA

Hole-ID	Location	Length	Azi	Dip	From	To	Length (ft)	***Cu %
P207-01	Pit 2 South Wall	502	340	-47	16	80	64	0.81
					104	185	81	0.53
					415	470	55	0.48
P207-02	Pit 2 South Wall	355	159	-45	26	110	84	0.64
					139	270	131	0.47
P207-03	Pit 2 South Wall	395	167	-45	35	311	276	0.22
P207-04	Pit 2 South Wall	505	342	-48	<b>130</b>	<b>260</b>	<b>130</b>	<b>0.35</b>
Incl.					130	175	45	0.21
Incl.					200	205	5	3.52
Incl.					240	260	20	0.30
					450	510	60	0.29
P207-05	Pit 2 South Wall	446	192	-45	<b>30</b>	<b>238</b>	<b>208</b>	<b>0.31</b>
Incl.					30	102	72	0.22
Incl.					150	238	88	0.48
					256	304	48	0.61
P207-06	Pit 2 South Wall	387	323	-58	151	210	59	0.36
					270	295	25	0.24
					319	343	24	0.19
P207-07	Pit 2 South Wall	415	13	-50	<b>115</b>	<b>242</b>	<b>127</b>	<b>0.43</b>
Incl.					115	182	67	0.25
Incl.					192	242	50	0.75
					320	355	35	0.43
P207-08	Pit 2 South Wall	414	344	-54	<b>160</b>	<b>305</b>	<b>145</b>	<b>0.27</b>
Incl.					160	224	64	0.24
Incl.					239	305	66	0.34
P207-09	Pit 2 South Wall	343	290	-80				NSR
P207-10	Pit 2 South Wall	464	329	-51	<b>95</b>	<b>314</b>	<b>219</b>	<b>0.32</b>
					95	314	219	0.32
					222	233	12	0.69
					243	314	71	0.39
					417	447	30	0.31
P207-11	Pit 2 South Wall	425	150	-48	68	158	90	0.56
					250	351	101	0.26
					371	418	47	0.16
P207-12	Pit 2 South Wall	435	159	-45	25	78	53	0.30
					120	205	85	0.37
					227	350	123	0.22
					390	425	35	0.20
P207-13	Pit 2 South Wall	307	234	-70	83	115	32	0.23
					157	268	111	0.38
Incl.					157	195	38	0.93
P207-14	Pit 2 South Wall	485	167	-50	<b>170</b>	<b>352</b>	<b>182</b>	<b>0.21</b>
Incl.					170	185	15	0.69
Incl.					215	235	20	0.38
Incl.					250	352	102	0.18
P207-15	Pit 2 South Wall	536	165	-51	109	216	107	0.28
					264	290	26	0.42
					338	354	16	0.25
					430	460	30	0.43
P207-16	Pit 2 North Wall	695	136	-52	24	98	74	0.40
					<b>205</b>	<b>299</b>	<b>94</b>	<b>0.25</b>
Incl.					205	260	55	0.28
Incl.					279	299	20	0.36
					389	430	41	0.26
P207-17	Pit 2 North Wall	645	124	-45	31	104	73	0.71
P207-18	Pit 2 North Wall	685			194	295	101	0.30
					356	431	75	0.24
P207-19	Pit 2 West Wall	745	145	-46	134	196	62	0.20
					270	320	50	0.24
					490	535	45	0.32

					688	704	16	0.38		
P207-20	Pit 2 West Wall	350	185	-45	130	174	44	0.29		
					259	329	70	0.37		
P207-21	Pit 2 North Wall	780	150	-52	199	235	36	0.22		
					269	356	87	0.37		
P207-22	Pit 2 North Wall	764	146	-49	180	295	115	0.48		
					340	365	25	0.40		
					495	590	95	0.24		
P207-23	Pit 2 North Wall	1,025	163	-47	105	255	150	0.37		
					385	432	47	0.64		
					655	780	125	0.51		
					789	872	83	0.32		
					890	955	65	0.46		
P207-24	Pit 2 North Wall	775	158	-52	210	275	65	0.54		
					323	380	57	0.31		
					420	510	90	0.45		
					549	631	82	0.29		
P207-25	Pit 2 North Wall	995	156	-52	180	220	40	0.50		
					<b>298</b>	<b>403</b>	<b>105</b>	<b>1.10</b>		
					448	657	209	0.31		
					743	856	113	0.20		
					893	977	84	0.33		
P207-26	Pit 2 North Wall				81	105	24	0.28		
					200	233	33	0.34		
					353	412	59	0.58		
					520	600	80	0.41		
					745	770	25	0.17		
					790	851	61	0.32		
P207-27	Pit 2 North Wall				320	543	223	0.43		
P207-28	Pit 2 North Wall				57	117	60	0.36		
					350	421	71	0.31		
					500	525	25	0.88		
					556	605	49	0.45		
					625	656	28	0.18		
P207-29	Conveyor							NSR		
P207-30	Conveyor				345	355	10	0.83		
P207-31	Conveyor							NSR		
P207-32	Pit 2 West Wall				30	50	20	0.49		
					433	453	20	0.38		
					475	500	25	0.71		
					550	630	80	0.52		
					985	1,030	45	0.45		
					1,085	1,300	215	0.37		
P207-33	Pit 2 West Wall				155	289	134	0.30		
					435	474	39	0.33		
					549	565	16	0.45		
					909	929	20	0.41		
					1355	1453.1	98.1	0.5		
P207-34	Pit 2 West Wall				195	246	51	2.96		
					333	435	102	0.45		
					1510	1675	165	0.39		
Hole ID	Location	total Leng	Azi	Dip	From	To	Length	Cu	Au	Ag
P207-35	Pit 2 East End	472	143	-45				NSR		
P207-36	Pit 2 East End	394.3	140	-51	125	175	50	0.32	0.19	1.24
					275	329	54	0.36	0.17	1.17
P207-37	Pit 2 East End	620	319	-55	<b>60</b>	<b>160</b>	<b>100</b>	<b>0.90</b>	<b>0.30</b>	<b>2.52</b>
P207-38	Pit 2 East End	426.4	40	-45	20	50	30	0.99	0.25	2.47
					110	130	20	0.96	0.26	2.83
P207-39	Pit 2 East End	1283	39	-55	630	640	10	0.82	0.20	1.82
					1005	1045	40	1.06	0.54	2.2
P207-40	Pit 2 East End	1199	90	-48	<b>235</b>	<b>535</b>	<b>242.5</b>	<b>0.38</b>	<b>0.10</b>	<b>1.38</b>
Incl.					235	270	35	0.21	0.09	0.7
Incl.					295	330	35	1.07	0.24	3.67
Incl.					347	356.5	9.5	2.51	0.23	8.32
Incl.					425	535	110	0.16	0.07	0.73
					599	634.5	35.5	0.30	0.18	1.36
					<b>993</b>	<b>1090</b>	<b>97</b>	<b>0.55</b>	<b>0.22</b>	<b>2.35</b>
					1115	1198.5	69.5	0.30	0.17	1.34
P207-41	Pit 2 West Wall	1233	39	-45	180	198	18	0.34	0.07	1.08
					1060	1095	35	0.34	0.14	1.14
					1167	1202	35	0.28	0.11	0.97

P207-42	Pit 2 East End	699	318	-51	<b>48.7</b>	<b>175</b>	<b>126.3</b>	<b>0.32</b>	<b>0.17</b>	<b>1.2</b>
Incl.					48.7	100	51.3	0.5	0.29	1.85
Incl.					115	137.7	22.7	0.33	0.21	1.48
Incl.					164.2	175	10.8	0.57	0.11	1.66
					205	230	25	0.76	0.22	2.38
					305	330	25	0.28	0.08	2.52
P207-43	Pit 2 East End	900	228	-45	39.4	59	19.6	0.33	0.09	0.77
					211.6	305	93.1	0.40	0.20	1.41
					<b>334.6</b>	<b>606.8</b>	<b>272.2</b>	<b>0.63</b>	<b>0.32</b>	<b>1.88</b>
P207-44	Pit 2 West Wall	1297	39	-45	1260	1275	15	0.76	0.27	1.63
P207-45	Pit 2 East End	1049.6	79	-47	206.6	223	16.4	0.3	0.21	1.45
					246	285.4	39.4	0.27	0.13	1.51

## SADDLE AREA

Hole-ID	Location	Length	Azi	Dip	From	To	Length (ft)	Cu %
SD07-01	Saddle Area	1,117	322	-51	279	306	27	0.51
					535	607	72	0.54
SD07-02	Saddle Area	949	315	-45	345	365	20	0.30
SD07-03	Saddle Area	1,200	189	-45	-	45	45	0.25
					400	435	35	0.62
					510	540	30	0.66
					737	1,040	303	0.35
					1,135	1,200	65	0.42
SD07-04	Saddle Area	909	189	-45	208	245	37	0.57
					672	734	62	0.16
SD07-05	Saddle Area	677	305	-52	221	257	36	0.38
					329	365	36	0.79
					457	511	54	0.23
SD07-06	Saddle Area	1,017	325	-59	120	155	35	0.41
					240	263	23	0.59
					550	632	82	0.51
SD07-07	Saddle Area	997	329	-45	332	374	42	0.40
SD07-08	Saddle Area	790	350	-47	134	145	11	0.38
					195	225	30	0.19
					275	395	120	0.52
SD07-09	Saddle Area	87	325	-55				BGA
SD07-10	Saddle Area	227	201	-57				BGA
SD07-11	Saddle Area	942	229	-45	86	141	55	0.48
					590	644	54	0.32
					687	712	25	0.37
					778	928	150	0.54
SD07-12	Saddle Area	917	39	-45	271	356	85	0.21
					387	411	24	0.26
					600	617	17	0.32
					670	698	28	0.37
					805	914	109	0.38
SD07-13	Saddle Area	917	219	-45	280	300	20	0.36
					707	734	27	0.41
SD07-14	Saddle Area	893	219	-45	557	567	10	0.38
					656	694	38	0.23
SD07-15	Saddle Area	997	39	-45				NSR
SD07-16	Saddle Area	897	39	-45				NSR
SD07-17	Saddle Area	897	219	-45	790	840	50	0.39
SD07-18	Saddle Area	887	39	-45				NSR
SD07-19	Saddle Area	1,217	219	-45	470	497	27	0.72
					595	640	45	0.49
					680	800	120	0.47
					923	1,030	107	0.33
SD07-20	Saddle Area	1,170	219	-45	515	595	80	0.63
					1,086	1,166	80	0.76
SD07-21	Saddle Area	1,177	219	-45	515	782	267	0.38
Incl.					515	601	86	0.66
					666	782	116	0.27
					802	888	86	0.40
SD07-22	Saddle Area	487	219	-45				NSR
SD07-23	Saddle Area	1,107	219	-45	410	531	121	0.42
					611	662	51	0.49
					747	779	32	0.38
					931	955	24	0.46

					1,032	1,107	75	0.57
SD07-24	Saddle Area	889	219	-46	390	436	46	0.32
SD07-25	Saddle Area	967	309	-45	267	337	70	0.28
					400	445	45	0.64
					485	520	35	0.38
					570	585	15	0.57
					614	645	31	0.27
					705	781	76	0.22
SD07-26	Saddle Area	826	309	-45	345	361	16	0.60
					385	495	110	0.47
SD07-27	Saddle Area	1,315	219	-45	145	180	35	1.03
					311	370	59	0.34
					467	482	15	0.29
					552	647	95	0.21
					687	729	42	0.31
					990	1,245	255	0.57
SD07-28	Saddle Area	1,507	219	-50	25	90	65	0.91
					108	197	89	0.26
					300	346	46	0.52
					492	526	34	1.02
					561	605	44	0.47
					640	660	20	0.38
SD07-29	Saddle Area	497	219	-48	185	195	10	0.70
					210	220	10	0.92
SD07-30	Saddle Area	1,515	219	-48	170	225	55	0.38
					302	322	20	0.52
					530	540	10	0.32
					680	695	15	0.33
					1,225	1,240	15	0.43
SD07-31	Saddle Area	1,517	219	-48	545	635	90	0.32
					712	835	123	1.02
SD07-32	Saddle Area	650	219	-49	576	646	70	0.32
SD07-33	Saddle Area	1,517	219	-55	285	330	45	0.31
					385	459	74	0.26
					800	830	30	0.43
SD07-34	Saddle Area	1,200	219	-45	285	310	25	1.38
					<b>465</b>	<b>685</b>	<b>220</b>	<b>0.29</b>
Incl.					465	490	25	0.40
Incl.					520	580	60	0.36
Incl.					610	685	75	0.39
					980	998	18	0.31
SD07-35	Saddle Area	1,210	39	-65	960	1,082	122	0.42
					1,186	1,221	35	0.19
SD07-36	Saddle Area	1,247	39	-65	412	447	35	0.67
					512	612	100	0.48
SD07-37	Saddle Area	1,278	219	-45	215	430	215	0.49
					610	627	17	0.76
					1,020	1,065	45	0.42
SD07-38	Saddle Area	977	39	-45	370	410	40	0.28
					485	520	35	0.34
					657	692	35	0.59
					860	910	50	0.99

### PIT 3 AREA

Hole-ID	Location	Length	Azi	Dip	From	To	Length (ft)	Cu %
	No current drilling in Pit 3							

\*NSR - No Significant Results

\*BGA - Broken Ground Abandoned

\*\* Drill results with NSR or BGA are not included

\*\*\* % Total copper for intercepts above 0.15% Copper

Note Gold Silver assays commenced on hole P207-35 onwards

Due to an extensive historical drill database all measurements on the projects are in imperial units rather than metric.