



COPPER MOUNTAIN
MINING CORPORATION

Copper Mountain Mining Corporation

Suite 550, 800 West Pender Street

Vancouver, BC V6C 2V6

Telephone: (604) 682-2992

Facsimile: (604) 681-5910

Web Site: www.CuMtn.com

TSX.V: CUM

DRILLING INDICATES EXPANSION OF PIT 2 MINERALIZATION TO NORTHWEST:
INTERSECTS
400 FEET GRADING 0.69% Cu, 0.26 g/t Au, and 1.71 g/t Ag

Vancouver, B.C., January 10, 2008 – Copper Mountain Mining Corporation (“CMMC” or the “Company”) announces assay results from twenty-one additional drill-holes completed peripheral to Pit 2 and three drill-holes in the Pit 1 – Pit 3 saddle zone of the 100% owned Copper Mountain project.

"It is becoming increasingly difficult to define the limits of the mineralization in some areas as we continue to intersect significant mineralization through aggressive drilling beyond the historically mined areas" stated President and CEO, Jim O'Rourke. "The focus of the drill program is to upgrade and expand the resource used in the recent Preliminary Assessment Report which was based only on drilling up to July 20, 2007. The results included herein demonstrate the potential for expansion of the resource and open-pit limits that should enhance the resource within the proposed Super Pit".

Key results from the drilling on the western and north-western side of Pit 2 are:

- Mineralization occurs throughout the ridge forming the western side of Pit 2 and is open to expansion both to the west and northwest towards a significant Titan 24 chargeability anomaly located 600 ft. northwest of current drilling. Development of resources in this area will result in an overall enlargement of the planned Super Pit area.
- Drill-hole P2-67 is the most significant intersection in this batch being released today, which intersected 400 feet grading 0.69% Cu, 0.26 g/t Au, and 1.71 g/t Ag (0.79% Cu Equiv.) approximately 500 feet west of the most western edge of Pit 2.
- Drill-holes QA3 and QA4, within the saddle zone located between Pits 1 and 3, intersected relatively shallow zones of mineralization above the known area of mineralization which will continue to improve mine economics by decreasing the strip ratio in this area.

To date, results from 130 drill-holes have been released from the 2007 program. Samples from an additional 34 drill-holes are currently being processed with results anticipated to be compiled in late January. All of 2007 drill results will be added to the historical database for an updated, independent 43-101 compliant resource estimate which is anticipated early in 2008. The current drilling in the Pit 2 and Saddle zone areas has three primary objectives: 1) to provide enough data to upgrade inferred resources to the indicated and measured categories; 2) to confirm the extension of Pit 2 west towards Pit 1; and 3) to provide additional information at depth and in areas of low drill density in order to convert waste blocks to mineralized blocks.

Significant intersections from drill-holes announced in this press release are listed in the table below and shown on the attached map. A complete list of drill results can be found on the company's website.

The mineralized system at Copper Mountain is classified as a bulk-tonnage, alkalic porphyry copper deposit that is hosted within Nicola Group volcanic rocks. Mineralization is structurally controlled and focused at multi-directional vein intersections and within vein stockwork systems. Drill holes are usually drilled at angles of -45 or -55 degrees to provide the best indication of the lateral extents of vertically oriented mineralization.

The Copper Mountain project is situated 300 km east of Vancouver, British Columbia. The Copper Mountain project is a former producer of 1.7 billion pounds of copper and has extensive infrastructure in place, including power and water. The site can be accessed year round as a paved highway goes right to site.

Quality Assurance

The company employs a system of quality control for drill results which includes the use of blanks, certified reference material (standards) and check assaying. Core is logged on site and split with a diamond saw. Samples are shipped to Pioneer Laboratories for geochemical analysis of copper with all values of greater than 1000 ppm copper being re-analysed by assay methods for copper, gold and silver. The drilling program is being supervised by Peter Holbek, M.Sc., P.Geo., a qualified person as defined by National Policy Instrument 43-101.

About Copper Mountain Mining Corp.:

CMMC is a new public BC resource company managed by an experienced team of professionals with a solid track record of exploration and development success. The Company owns 100% of Copper Mountain Project which holds the mineral claims and crown grants over the 18,000 acre mine site. Copper Mountain Mining Corp. has the goal of developing the Copper Mountain Project as a major copper and precious metal producer within the next three years. Additional information is available on the Company's web page at www.CuMtn.com.

On behalf of the Board of

COPPER MOUNTAIN MINING CORPORATION

"Peter Holbek"

Peter Holbek
VP Exploration

For further information, please contact:

Don Graham Director Investor Relations 604 682 2992 ext. 224

Email: don@CuMtn.com

Website: www.CuMtn.com

or B&D Capital 604-685-6465

Note: This release contains forward-looking statements that involve risks and uncertainties. These statements may differ materially from actual future events or results. Readers are referred to the documents, filed by the Company on SEDAR at www.sedar.com, specifically the most recent reports which identify important risk factors that could cause actual results to differ from those contained in the forward-looking statements. The Company undertakes no obligation to review or confirm analysts' expectations or estimates or to release publicly any revisions to any forward-looking statement

COPPER MOUNTAIN MINING CORPORATION

NEWS RELEASE DATED JANUARY 10th, 2008 – DRILLING INDICATES EXPANSION OF PIT 2 MINERALIZATION TO NORTHWEST: INTERSECTS 400 FEET GRADING 0.69% Cu, 0.26 g/t Au, and 1.71 g/t Ag

Hole ID	Location	Length (feet)	Azi	Dip	From (feet)	To (Feet)	Interval (Feet)	Cu %	Cu EQ	Ag GMT	Au GMT
CM07P2-57	Pit 1-2 Saddle Zone	1007	39	-55	760	810	50	0.93	1.02	2.77	0.24
CM07P2-58	Pit 1-2 Saddle Zone	740	39	-60	135	185	50	0.24	0.26	0.88	0.06
					400	485	85	0.7	0.77	1.82	0.17
CM07P2-59	Pit 1-2 Saddle Zone	1067	39	-65	270	370	100	0.39	0.42	1.15	0.07
					410	483	73	0.36	0.39	1.49	0.08
CM07P2-60	Pit 1-2 Saddle Zone	1216	39	-50	550	610	60	0.41	0.49	1.16	0.22
					700	750	50	0.68	0.76	1.7	0.2
					900	1010	110	0.4	0.49	1.19	0.25
CM07P2-61	Pit 1-2 Saddle Zone	1135	39	-50	210	242	32	0.62	0.73	1.9	0.29
					316	443	127	0.23	0.27	0.95	0.1
					80	190	110	0.44	0.52	1.41	0.22
CM07P2-62	Pit 2 West	1077	219	-50	625	825	200	0.63	0.69	1.52	0.16
CM07P2-63	Pit 2 West	395	39	-45	77	115	38	0.4	0.50	1.4	0.28
CM07P2-64	Pit 2 West	590	39	-45	430	590	160	0.24	0.30	0.85	0.16
CM07P2-65	Pit 2 West	1065	219	-60	150	210	60	0.57	0.62	1.33	0.12
					310	360	50	0.45	0.51	1.65	0.14
					520	545	25	0.55	0.80	1.82	0.73
					605	650	45	0.57	0.63	1.6	0.14
CM07P2-66	Pit 2 West	437	39	-50	265	437	172	0.29	0.34	1.19	0.13
CM07P2-67	Pit 2 West	850	39	-47	425	825	400	0.69	0.79	1.71	0.26
CM07P2-68	Pit 2 West	976	39	-49	345	425	80	0.39	0.45	1.06	0.17
					600	650	50	0.24	0.27	0.83	0.09
					915	976	61	0.32	0.38	1.08	0.17
CM07P2-69	Pit 2 West	853	39	-49	30	210	180	0.67	0.78	1.82	0.29
					275	335	60	0.37	0.44	0.9	0.19
CM07P2-70	Pit 2 West	775	39	-46	57	297	240	0.36	0.42	1.11	0.17
CM07P2-71	Pit 2 West	76	39	-60				NSR			
					435	480	45	0.31	0.37	0.9	0.18
					570	655	85	0.27	0.33	1.24	0.16
					695	735	40	0.28	0.35	1.24	0.19
CM07P2-72	Pit 2 West	1007	39	-49	715	730	15	0.87	1.01	3.53	0.36
					930	945	15	0.52	0.61	1.3	0.25
					67	137	70	0.32	0.39	1.16	0.2
CM07P2-73	Pit 2 South	1277	39	-50	100	180	80	0.57	0.61	1.99	0.1
					770	1280	510	0.34	0.39	1.14	0.13
CM07P2-74	Pit 2 South	805	39	-50				NSR			
CM07P2-75	Pit 2 South	1257	39	-54	903	1005	102	0.33	0.40	1.26	0.19
CM07P2-78	Pit 2 East	1207	129	-45	220	275	55	0.21	0.24	1.15	0.07
					447	475	28	0.42	0.44	2.55	0.03
CM07QA-2	P3-P1 Saddle Zone	784	39	-47	702	735	33	0.39	0.43	1.3	0.1
CM07QA-3	P3-P1 Saddle Zone	413	219	-52	39	79	40	0.54	0.66	2.65	0.31
CM07QA-4	P3-P1 Saddle Zone	361	219	-45	90	200	110	0.49	0.55	2.76	0.12

*Based on current metal prices of: Copper US \$3.00/lb, Gold at US \$675/Oz, and Silver at US \$12/Oz

COPPER MOUNTAIN MINING CORP

NEWS RELEASE DATED JANUARY 10, 2008 -
 DRILLING INDICATES EXPANSION OF PIT 2 MINERALIZATION TO NORTH-WEST
 400 FEET GRADING 0.69% Cu, 0.26 g/t Au and 1.71 g/t Ag

Pit 1 - Pit 2
 Saddle Zone

CM07P2-67
 425' - 825'
 400 ft @ 0.69%Cu,
 1.71 g/t Ag, 0.26 g/t Au

PIT 1

Pit 1 - Pit 3
 Saddle Zone

PIT 2

SADDLE
 ZONE

PIT 3

Legend

—○— Drillhole results released prior to Jan 10,
 2008 New Release

● Drillholes results released in Jan 10,
 2008 News Release

—○— Drillholes Completed and Assay
 Results Pending

Pit Outlines



Mineralized Blocks >0.2% Cu

